UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/632,058	07/31/2003	Andrew J. Ries	P0011122.00	9970	
	27581 7590 02/04/2009 MEDTRONIC, INC.			EXAMINER	
710 MEDTRON	NIC PARKWAY NE		ALTER, ALYSSA MARGO		
MINNEAPOLIS, MN 55432-9924			ART UNIT	PAPER NUMBER	
			3762		
			MAIL DATE	DELIVERY MODE	
			02/04/2009	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/632,058	RIES ET AL.			
Office Action Summary	Examiner	Art Unit			
	Alyssa M. Alter	3762			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1)⊠ Responsive to communication(s) filed on <u>04 Se</u>	eptember 2008.				
	· · · · · · · · · · · · · · · · · · ·				
<i>,</i> —	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.				
Disposition of Claims					
4)⊠ Claim(s) <u>1,3-9,11,12,14,15,17-23,25,26 and 28</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1,3-9,11,12,14,15,17-23,25,26 and 28</u> is/are rejected.					
7) Claim(s) is/are objected to.	•				
8) Claim(s) are subject to restriction and/or	election requirement.				
Application Papers					
9)☐ The specification is objected to by the Examine	•				
10)⊠ The drawing(s) filed on <u>03 October 2005</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:					
1. Certified copies of the priority documents have been received.					
	_				
3. Copies of the certified copies of the priority documents have been received in this National Stage					
application from the International Bureau (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list of the certified copies not received.					
Attachmont/s)					
Attachment(s) 1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)			
2) Notice of Praftsperson's Patent Drawing Review (PTO-948)	ite				
3) Information Disclosure Statement(s) (PTO/SB/08)					
Paper No(s)/Mail Date 6) Other:					

Application/Control Number: 10/632,058 Page 2

Art Unit: 3762

DETAILED ACTION

Response to Arguments

Applicant's arguments, see page 8, filed September 4, 2008, with respect to 35 U.S.C. 102 (b) and 103(a) rejections of the pending claims have been fully considered and are persuasive. However, the claims remain rejected under provisional obviousness-type double patenting.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970);and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

1. Claims 1, 3-9, 11-12, 14-15, 17-23, 25-26 and 28 stand provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-30 of copending Application No. 10/632028 (US Patent Publication 20050027326 A1). Although the conflicting claims are not identical, they are not patentably distinct from each other because both have a connector assembly for detachably connecting a lead to an implantable medical device, comprising a

deflectable connector clip including a first arm, a second arm, the connector clip capable of being deflected from a first position corresponding to a first relative position

Page 3

of the first arm and the second arm to a second position corresponding to a second relative position of the first arm and the second arm; and a housing having a first member and a second member, the first member formed to be fixedly engaged with the second member to enclose the connector clip within the housing, wherein the connector clip is positioned within one of the first member and the second member.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

2. Claims 1, 3-9, 11-12, 14-15, 17-23, 25-26 and 28 stand provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-48 of copending Application No. 10/632026 (US Patent Publication 20050027325 A1). Although the conflicting claims are not identical, they are not patentably distinct from each other because both have a connector assembly for detachably connecting a lead to an implantable medical device, comprising a deflectable connector clip including a first arm, a second arm, the connector clip capable of being deflected from a first position corresponding to a first relative position of the first arm and the second arm to a second position corresponding to a second relative position of the first arm and the second arm; and a housing having a first member and a second member, the first member formed to be fixedly engaged with the second member to enclose the connector clip within the housing, wherein the connector clip is positioned within one of the first member and the second member.

Application/Control Number: 10/632,058 Page 4

Art Unit: 3762

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Application/Control Number: 10/632,058 Page 5

Art Unit: 3762

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alyssa M. Alter whose telephone number is (571)272-4939. The examiner can normally be reached on M-F 8am to 4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angela Sykes can be reached on (571) 272-4955. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/George R Evanisko/ Primary Examiner, Art Unit 3762 /Alyssa M Alter/ Examiner Art Unit 3762